



Intelligent
Embedded Systems




Leveraging Repeated Unlabelled Noisy Measurements to Augment Supervised Learning

What We Do




- Engineering and research for spectroscopy-based sensors
 - Development of sensors using multiple spatially resolved reflection spectroscopy
- Concentration of carotenoids in human skin


High-Precision Measurement



High-Precision Measurement



Available Dataset




Available Dataset

value:
?  → 



Available Dataset

value:
?  →  } equal

Available Dataset



Available Dataset



Goals For Precision Dataset



Labelled Data


Less required data to achieve
the same prediction accuracy

Noise

Less variation in measurements
that should be equal


Training Loop

Supervised Learning




Training Loop

Supervised Learning




Training Loop

Supervised Learning




Training Loop

Known-Equal Learning




Training Loop

Known-Equal Learning




Training Loop

Known-Equal Learning




Training Loop

Known-Equal Learning



Training Loop

Known-Equal Learning



Training Loop


Combined Learning



neural
network


Training Loop

Combined Learning




Training Loop

Combined Learning




Training Loop

Combined Learning



Training Loop

Combined Learning




Requirements:

- Well defined for the range of the loss,
usually $\mathbb{R}_{\geq 0}$
- Global minimum for minimal input
losses
- Strictly monotonous wrt. to all input
losses


Requirements:

- Well defined for the range of the loss, usually $\mathbb{R}_{\geq 0}$
- Global minimum for minimal input losses
- Strictly monotonous wrt. to all input losses



Requirements:




- Well defined for the range of the loss, usually $\mathbb{R}_{\geq 0}$
- Global minimum for minimal input losses
- Strictly monotonous wrt. to all input losses



Combiner Functions



Requirements:

- Well defined for the range of the loss, usually $\mathbb{R}_{\geq 0}$
- Global minimum for minimal input losses
- Strictly monotonous wrt. to all input losses





Results

Required Labelled Data



Results

Reduced Prediction Noise




Known-Equal Data


value:  →  } equal

Conclusion

Known-Equal Data


value:  →  } equal

Combiners




Conclusion

Known-Equal Data

value:  →  } equal

Combiners



Results

